

KEEP A LOW PROFILE



The SK621 White Limited Edition is a truly portable keyboard with low profile mechanical switches. The 60% layout removes the numpad and dedicated nav keys to save space, but still packs all the signature Cooler Master features like On-the-Fly Controls, RGB lighting, and Hybrid Key Rollover. Cherry MX Low Profile RGB switches with reduced travel and actuation distance means you get all the precision and durability of a mechanical keyboard, but with the slim stylings of a minimalist, chiclet keyboard. Add in a refined brushed aluminum housing and Bluetooth wireless capability, and you have the ultimate on-the-go mechanical keyboard.

FEATURES

- Hybrid Wired & Wireless Up to 3 devices supported with Bluetooth 4.0, or use it wired over a removable Type-C USB and charge the battery simultaneously.
- Portable 60% Keyboard Layout Mini, unique and portable design that has all the essentials
- Brushed Aluminum Design Flat brushed aluminum top plate, floating white keycaps, and minimalistic and slim design built with functionality in mind
- Cherry MX Low Profile Switches A reduced travel distance and actuation point with the same signature durability and precision
- RGB Backlighting Keep the lightshow going with per-key backlighting and surrounding LED ring with endless customization
- **On-the-Fly Controls -** Make real-time adjustments to lighting and macros with no software necessary.
- **Easy-to-use Software** Map 16.7 million colors to any key, customize lighting modes, or finetune macros through Cooler Master's new Portal Software Application.
- Extra Slim Keycaps Slightly contoured, crazy slim, yet built to last
- Removable Type-C USB Cable For charging, easy transportation and future-proofing.
- Hybrid Key Rollover Ensure every press is registered, with automatically enabled 6-key rollover in wireless mode and N-key rollover in wired mode

SPECIFICATIONS & PACKING INFORMATION

Product Name	SK621 White LE
Product Number	SK-621-SKLR1-**
Switch Type	Cherry MX RGB Low Profile Switch
Material	Aluminum / Plastic
Color	Silver, White
LED Color	RGB
Polling Rate	1000 Hz
Response Rate	1ms / 1000Hz
MCU	32bit ARM Cortex M0
On board Memory	512KB
On-the-fly system	Yes, for Multi-media, Macro Recording and Lighting control via FN
Multi-media Keys	Through Function Key (FN)
Cable	USB Type-C Detachable & Braided
Software Support	Yes, through Cooler Master Portal
Wireless Connectivity	Bluetooth 4.0
Battery	4000mah
Connector Cable	USB Type-C (Keyboard Side) USB 2.0 Type A (Computer Side)
Cable Length	1.8m, Braided & Removable
Dimensions	293 * 103 * 29.2 mm (L*W*H)
Product Weight (without cable)	447g (0.985lbs)
Warranty	2 years
Net weight	497.5g (1.097lbs)
Gross weight	745g (1.642lbs)
Package Dimensions	31.7*12*6cm

Net weight	497.5g (1.097lbs)	
Gross weight	745g (1.642lbs)	
Package Dimensions (L x W x H)	31.7*12*6cm	
Carton dimension (L x W x H) / Units	35*34*27.5cm	10
Carton / Pallet	42	

Cont.	W/ Pallet	Carton/ Pallet	W/O Pallet
20'	5800	42	N/A
40′	12600	42	N/A
40HQ	14400	48	N/A



FEATURE HIGHLIGHT





Cherry MX Low Profile RGB Switches with reduced 3.2mm travel distance and 1.2mm actuation point. Rated for 50 million+ lifespan to never let you down.

Floating white keycaps, and minimalistic and **slim design** built with functionality in mind

RGB Backlighting - Per-key LEDs and surrounding lightbar illumination with multiple lighting modes and effects to match the stunning performance with stunning looks!



Hybrid Wire & Wireless – Use it wired via USB-C, or connect with up to 3 devices wirelessly via the Bluetooth 4.0 tech, designed for minimal lag and low power



On-the-Fly Controls - Make real-time adjustments to lighting and macros with no software necessary



EAN & UPC INFORMATION

Itemcode	EAN	UPC
SK-621-SKLR1-US	4719512080252	884102052743
SK-621-SKLR1-UK	4719512079270	884102051760
SK-621-SKLR1-FR	4719512079324	884102051814
SK-621-SKLR1-DE	4719512079331	884102051821
SK-621-SKLR1-IT	4719512079317	884102051807
SK-621-SKLR1-ND	4719512079300	884102051791
SK-621-SKLR1-PT	4719512079294	884102051784
SK-621-SKLR1-SP	4719512079287	884102051777
SK-621-SKLR1-SW	4719512086094	884102058547