

# CP-GPC-T24L4-V5

## 2.4MP Full HD IR Guard+ Bullet Camera - 40 Mtr.

- 1/2.9" 2.4MP PS CMOS Image sensor (0.8758cm)
- 25/30fps@2.4MP
- DWDR, Day/Night (ICR), 2D/3D-DNR, AWB, AGC, BLC
- 6mm lens
- Support low illumination, warm light day night full color
- IR Range of 40 Mtr., IP66



### System Overview

With the help of the new Guard+ Series of Cameras by CP PLUS, surveillance at night has substantially been made easier as vividly colorful images can be captured even in a completely dark scene. The leading part in this highly efficient surveillance solution is played by the 2.4MP Full-Color Network Cameras that show the detailing in the varied colors of the object in the scene even during night time.

### Functions

#### Full Color

With high-performance sensor and large aperture lens, Guard+ Series of Analog Camera Full-color technology can display clear colorful image in the environment of ultra-low illuminance. With this photosensitivity technology, the camera can capture more available light, and display more colorful image details.



## CP-GPC-T24L4-V5

2.4MP Full HD IR Guard+ Bullet Camera - 40 Mtr.

### Functions

#### IR LED

Numerous crystal IR LEDs provide detailed images even in very low light conditions. These LEDs adjust the infrared intensity for distinct images in dark environments for up to 40mtrs.

#### UNI+ technology

CP PLUS Analog HD cameras offer compatibility across all the available technologies - CVBS, TVI, HDCVI, AHD and HDx, making upgrading simple and hassle-free.

#### Power protection

With a voltage tolerance range of  $\pm 10$ , these cameras are suitable even in fluctuating power conditions.

#### True Day/Night (ICR)

When the scene is too dark, the image is captured by illuminating an infrared light through the camera onto the scene that greatly helps with making the scene visible for the lens. It delivers color images during the day and automatically switches to the monochrome feature as the scene darkens.

#### Plug & Play

CP PLUS Guard+ cameras are simple to configure and install

### About CP PLUS

The brand that is on its way to lead the world when it comes to the security and surveillance industry, CP PLUS, keeps bombarding the market with the most reliable range of products that have been designed carefully and methodically to automate the whole surveillance and security process, no matter how big your premises are.

It was the initiative to help the public in the area where they are the most vulnerable and to empower the sense of safety in our hearts that had conceptualized CP PLUS. And embarking on its mission to make the world a safer and more secure place has taken the brand's journey to unprecedented levels even when compared to international competitors.



# CP-GPC-T24L4-V5

2.4MP Full HD IR Guard+ Bullet Camera - 40 Mtr.

Feature	Specification
Image Sensor	1/2.9" 2.4MP PS CMOS Image Sensor (0.8758cm)
Minimum Illumination	3Lux@ (F2.0, AGC ON)
Shutter Speed	PAL: 1/25 s to 1/50,000 s; NTSC: 1/30 s to 1/50,000 s
White Balance	ATW / MWB/GRAY WORLD
Gain Control (AGC)	Auto
Lens	6mm Lens
S/N Ratio	>52dB (AGC off)
Back Light Compensation	Support
Video Output	TVI/AHD/CVI/CVBS
Resolution	2.4MP
Frame Rate	25/30fps@2.4MP
ICR	Support Color/ BW
WDR	DWDR
LED light	Support Auto/Manual Model, 1-10 level adjust
IR	IR Range of 40 Mtr.
No. of IR LEDs	2 PCS 3500K soft warm light
Operating Temperature	-20°C to 50°C
Humidity	90% or less (non-condensing)
Power Source	12VDC ± 10%
Power Consumption	Max. 3W (Max.3W with IR cut filter on)
Weatherproof Standard	IP66
Dimension	196mm x 76mm x 70mm
Weight	0.53KG

Dimensions (mm/inch)

