

# Product Sheet Define 7



fractal-design.com



# Index

3 Overview

4

- Key features
- 5-6 General specifications
- 7 Package contents Additional information

## Define 7

#### Re-defining versatility.

The Define 7 is the latest pinnacle of the renowned Define series, setting a new standard for what you should expect from a mid-tower case when it comes to modularity, flexibility and ease of use. The dual-layout interior, industrial sound damping, and classic styling make it an easy choice for any design-conscious PC builder in need of a versatile and dependable case that accommodates ambitious builds and leaves you room to grow.



### **Key features**

- Spacious and extensively adaptable dual-layout interior easily accommodates large motherboards up to and including 285 mm E-ATX
- Support for radiators up to 360 mm in front, 420 mm up top, or 280 mm in the base in the default Open Layout
- Convert to Storage Layout for up to 14 HDDs along with 4 dedicated SSD mounts and one ODD bay (6 HDD/SSD + 2 SSD brackets + 1 multi-bracket included)
- The single 5.25" ODD bay can be converted to an additional 140 mm front fan mount with filtered louver covering
- Silence-optimized construction with industrial sound-damped front, top, and side panels
- Top panel effortlessly swaps from sound-damped solid steel to filtered ventilation
- New chassis design opens up to fully expose the case interior for totally unhindered installation and cable routing
- Anodized aluminum front panel with reversible dual-handed hinges opens and closes easily with magnetic latching
- Outstanding cooling capacity with a total of 9 x 120/140 mm fan mounts and three preinstalled Dynamic X2 GP-14 fans
- Versatile new multi-brackets convert any unused fan position to an HDD, SSD or pump mount
- Two vertical GPU slots for use with the Flex VRC-25 PCIe riser, available separately
- Five front USB ports including one USB 3.1 Gen 2 Type-C with fast charging support and speeds up to 10Gbps
- Ultra-slim Nexus+ 2 fan hub connects up to three PWM fans and six 3-pin fans directly in line with cable channels along the edge of the case
- Redesigned HDD cage for easier installation and improved transportation security
- Tool-less, top-latching panels allow quick access while preventing accidental drops
- Bridgeless expansion slots ensure obstruction-free connections for easier installation and hookup
- · Ventilated PSU shroud with two-part removable cover for optimal coverage and front radiator support
- · Easy-to-clean high airflow nylon filters on the front, top and base with full PSU coverage and convenient front access
- Detachable PSU cable shield and integrated cable guides with Velcro straps further simplify cable management behind the board

### **Fractal**

# **General specifications**

3.5"/2.5" drive mounts	• 6 included, 14 positions total
Dedicated 2.5" drive mounts	• 2 trays included, 4 positions total
5.25" drive mounts	•1
Expansion slots	•7+2
Motherboard compatibility	• E-ATX (max 285 mm) / ATX / mATX / mITX
Power supply type	• ATX
Front interface	•1 x USB 3.1 Gen 2 Type-C, 2 x USB 3.0, 2 x USB 2.0,
	Audio I/O, Power button, Reset button
Total fan mounts	• 9 x 120/140 mm
Front fan	• 3 x 120/140 mm (2 x Dynamic X2 GP-14 included)
Top fan	• 3 x 120/140 mm
Rear fan	• 1 x 120/140 mm (1 x Dynamic X2 GP-14 included)
Bottom fan	• 2 x 120/140 mm
Dust filters	Top, 2 x front, full length bottom
Front radiator	• Up to 360/280 mm
Top radiator	• Up to 360/420 mm
Rear radiator	• 120 mm
Bottom radiator	• Up to 240/280 mm
PSU max length	• 250 mm (with HDD cage installed)
GPU max length	• Storage layout: 315 mm
	-0 nen lavout: 491 mm (467 mm w/ front fan)

• Open layout: 491 mm (467 mm w/ front fan)

# **General specifications**

CPU cooler max height	• 185 mm			
Cable routing space	• 30 mm			
Cable routing grommets	• Yes			
Fixed velcro straps	• Yes			
Tool-less push-to-lock	Both side panels and top			
Captive thumbscrews	• HDD brackets, SSD brackets, PSU bracket			
Left side panel	Industrial sound-damped steel or Tempered glass			
Right side panel	Industrial sound-damped steel			
Case dimensions (LxWxH)	• 547 x 240 x 475 mm			
Case dimensions w/o feet/protrusions/screws	• 533 x 240 x 451 mm			
Net weight	• TG: 13.45 kg			
	• Solid: 13.49 kg			
Package dimensions (LxWxH)	• 558 x 363 x 641 mm			
Gross weight	• TG: 15.94 kg			
	• Solid: 15.98 kg			



#### Package contents

- Define 7
- Accessory box
- User manual
- Ventilated top
- 4 x HDD/SSD trays

## **Additional information**

Product	SKU	EAN	UPC	JAN
Define 7 Black Solid	FD-C-DEF7A-01	7340172702191	843276102197	4537694275842
Define 7 Black TG Light Tint	FD-C-DEF7A-02	7340172702207	843276102203	4537694275859
Define 7 Black TG Dark Tint	FD-C-DEF7A-03	7340172702214	843276102210	4537694275866
Define 7 Black/White Solid	FD-C-DEF7A-04	7340172702221	843276102227	4537694275873
Define 7 Black/White TG Clear Tint	FD-C-DEF7A-05	7340172702238	843276102234	4537694275880
Define 7 White Solid	FD-C-DEF7A-09	7340172702276	843276102272	4537694276184
Define 7 White TG Clear Tint	FD-C-DEF7A-06	7340172702245	843276102241	4537694275897
Define 7 Gray Solid	FD-C-DEF7A-07	7340172702252	843276102258	4537694275903
Define 7 Gray TG Light Tint	FD-C-DEF7A-08	7340172702269	843276102265	4537694275910

