

Product Sheet Era ITX



fractal-design.com



Index

3 Overview
4 Key features
5-6 General specifications
7 Package contents
Additional information

Era ITX

Small footprint. Big impact.

Era is a unique and elegantly understated feat of both design and technical engineering—a compact chassis free from the excessive restrictions traditionally associated with small form factor systems.

Wrapped in aluminum and offering a variety of top inserts ranging from premium wood to tempered glass, Era blends into any environment. Despite a modest 16 liter footprint, it readily accommodates dual slot GPUs, AlO water cooling units up to 240 mm, high-end processors, and up to four storage devices.

Compact, sophisticated and stylish, Era redefines the small form factor for those looking to make a design statement without sacrificing the power and functionality of professional grade hardware.





Key features

- Compact, uniquely designed aluminum exterior available in five colors
- Versatile interior supporting professional grade hardware
- Stylish top panel designed to match the color of your case.
- Additional steel mesh top panel included for higher airflow
- Small, flexible, and space efficient with volume just over 16 liters
- Supports Dual Slot graphics cards up to 295 mm in length
- Excellent water cooling support via removable radiator bracket allowing 240 mm or dual 120 mm radiators
- Two storage brackets, each capable of mounting a single 3.5" HDD or two 2.5" SSDs
- Efficient chimney design optimizes airflow across five total fan positions
- Pre-installed 80 mm Fractal Design SSR3 fan exhausts heat silently and effectively
- Install SFX or ATX PSUs up to 200 mm in length with innovative adjustable brackets that maximize flexibility
- Magnetic top panel and tool-less latching side panels allow easy access
- Easy-to-clean, high airflow nylon filters on the top, sides and base
- USB 3.1 Gen 2 Type-C with support for fast charging and speeds up to 10Gbps



Fractal

General specifications

3.5" drive support	SFX PSU: 2 HDDs or 1 HDD + 2 SSDs		
	• ATX PSU: 1 HDD		
2.5" drive support	SFX PSU: 4 SSDs or 2 SSDs + 1 HDD		
	• ATX PSU: 2 SSDs		
5.25" drive support	•-		
Expansion slots	•2		
Motherboard compatibility	٠ITX		
Power supply type	• ATX, SFX-L, SFX		
Front ports	•1 x USB 3.1 Gen 2 Type-C, 2 x USB 3.0, 3.5 mm CTIA combined audio/mic		
Total fan mounts	•5		
Front fan	•-		
Top fan	• 2 x 120 mm		
Rear fan	• 1 x 80 mm (1 x SSR3 80mm included)		
Bottom fan	• 2 x 140 mm (without 2-slot GPU)		
Dust filters	• Bottom intake		
	• Side intakes		
	• Top exhaust		
Front radiator	•-		
Top radiator	• 120/240 mm or 2 x 120 mm		
	(max 125 mm width, 67 mm thickness w/ fans, dependent on PSU position/type)		
Rear radiator	•-		
Bottom radiator	•-		

Fractal

General specifications

PSU max length	• 200 mm		
GPU max length	• 295 mm (210/190 mm with low-mounted SFX/ATX PSU)		
GPU max width	• 125 mm		
GPU max thickness	• 47 mm		
CPU cooler max height	• 120 mm (70 mm recommended with side-mounted 3.5" HDD)		
Fixed Velcro straps	• Yes		
Tool-less push-to-lock	Both side panels		
Captive thumbscrews	• No		
Case material	Aluminum panels, steel frame		
Case dimensions (L x W x H)	• 325 x 166 x 310 mm		
Case dimensions w/o feet/protrusions/screws	• 325 x 166 x 307 mm		
Net weight	BK/BU/CHP versions: 3.970 kg		
	• GY version: 4.090 kg		
	• SI version: 4.167 kg		
Package dimensions (L x W x H)	• 385 x 240 x 420 mm		
Gross weight	BK/BU/CHP versions: 4.930 kg		
	• GY version: 5.050 kg		
	• SI version: 5.127 kg		



Package contents

- Era ITX computer case
- Top insert
- Black mesh top insert
- User manual
- Large accessory box
- Small accessory box

Additional information

Product	SKU	EAN	UPC	JAN
Era ITX Silver - White Oak	FD-CA-ERA-ITX-SI	7340172701804	843276101800	4537694267359
Era ITX Titanium Gray - Walnut	FD-CA-ERA-ITX-GY	7340172701798	843276101794	4537694267342
Era ITX Carbon - TG	FD-CA-ERA-ITX-BK	7340172701781	843276101787	4537694267335
Era ITX Gold - TG	FD-CA-ERA-ITX-CHP	7340172701828	843276101824	4537694267373
Era ITX Cobalt - TG	FD-CA-ERA-ITX-BU	7340172701811	843276101817	4537694267366

