



VULCAN Z DDR4

VULCAN Z

T-FORCE VULCAN Z DDR4 gaming memory has been tested rigorously by the T-FORCE laboratory.

Every overclocking memory is tested for complete compatibility and stability. This offers gamers a DDR4 memory with excellent quality, optimal performance, stability and compatibility. Gamers are able to fully enjoy the finest and smoothest gaming experience and an extreme high speed performance without any lag.

Main Feature

- Simple design to perfectly protect the cooling module
- High thermal conductive adhesive
- Supports Intel & AMD motherboards
- Selected high-quality IC
- Supports XMP2.0
- Energy saving with ultra-low working voltage



Specification

Module Type	DDR4 288 Pin Non-ECC Unbuffered DIMM							
Frequency	2666	3000	3000	3200	3200	3600	3600	3600
Latency	CL18-18-18-43	CL16-18-18-38	CL16-20-20-40	CL16-18-18-38	CL16-20-20-40	CL14-15-15-35	CL18-22-22-42	CL20-24-24-46
Capacity	4GB	4GB	8GB	4GB	8GB	8GBx2 16GBx2	8GB 16GB 32GB	8GB 8GBx2
Data Transfer Bandwidth	21,300 MB/s (PC4 21300)	24,000 MB/s (PC4 24000)	24,000 MB/s (PC4 24000)	25,600 MB/s (PC4 25600)	25,600 MB/s (PC4 25600)	28,800 MB/s (PC4 28800)	28,800 MB/s (PC4 28800)	28,800 MB/s (PC4 28800)
Voltage	1.2V	1.35V	1.35V	1.35V	1.35V	1.45V	1.35V	1.35V
Dimensions	32(H) x 140(L) x 7(W)mm							
Heat Spreader	Aluminum heat spreader							
Warranty	Lifetime warranty							

Specification

Module Type	DDR4 288 Pin Non-ECC Unbuffered DIMM		
Frequency	4000	4000	4000
Latency	CL18-22-22-42	CL18-24-24-46	CL20-26-26-46
Capacity	8GBx2	16GBx2	8GB 8GBx2
Data Transfer Bandwidth	32,000 MB/s (PC4 32000)	32,000 MB/s (PC4 32000)	32,000 MB/s (PC4 32000)
Voltage	1.35V	1.4V	1.4V
Dimensions	32(H) x 140(L) x 7(W)mm		
Heat Spreader	Aluminum heat spreader		
Warranty	Lifetime warranty		

Ordering Information

Color	Frequency	CAS Latency/Voltage	Capacity	Team P/N	
RED	DDR4-2666(PC4-21300)	CL18-18-18-43 1.2V	4GB	TLZRD44G2666HC18H01	
			8GB	TLZRD48G2666HC18H01	
			16GB	TLZRD416G2666HC18H01	
			32GB	TLZRD432G2666HC18H01	
	DDR4-3000(PC4-24000)	CL16-18-18-38 1.35V	4GB	TLZRD44G3000HC16C01	
			8GB	TLZRD48G3000HC16C01	
			16GB	TLZRD416G3000HC16C01	
			32GB	TLZRD432G3000HC16C01	
		CL16-20-20-40 1.35V	8GB	TLZRD48G3000HC16F01	
			16GB	TLZRD416G3000HC16F01	
			32GB	TLZRD432G3000HC16F01	
			DDR4-3200(PC4-25600)	CL16-18-18-38 1.35V	4GB
	8GB	TLZRD48G3200HC16C01			
	16GB	TLZRD416G3200HC16C01			
	32GB	TLZRD432G3200HC16C01			
	CL16-20-20-40 1.35V	8GB		TLZRD48G3200HC16F01	
		16GB		TLZRD416G3200HC16F01	
		32GB		TLZRD432G3200HC16F01	
		DDR4-3600(PC4-28800)		CL18-22-22-42 1.35V	8GB
	16GB		TLZRD416G3600HC18J01		
32GB	TLZRD432G3600HC18J01				
CL20-24-24-46 1.35V	8GB		TLZRD48G3600HC20D01		
	DDR4-4000(PC4-32000)		CL20-26-26-46 1.4V	8GB	TLZRD48G4000HC20C01

Ordering Information

Color	Frequency	CAS Latency/Voltage	Capacity	Team P/N
GRAY	DDR4-2666(PC4-21300)	CL18-18-18-43 1.2V	4GB	TLZGD44G2666HC18H01
			8GB	TLZGD48G2666HC18H01
			16GB	TLZGD416G2666HC18H01
			32GB	TLZGD432G2666HC18H01
	DDR4-3000(PC4-24000)	CL16-18-18-38 1.35V	4GB	TLZGD44G3000HC16C01
			8GB	TLZGD48G3000HC16C01
			16GB	TLZGD416G3000HC16C01
			32GB	TLZGD432G3000HC16C01
		CL16-20-20-40 1.35V	8GB	TLZGD48G3000HC16F01
			16GB	TLZGD416G3000HC16F01
	32GB		TLZGD432G3000HC16F01	
	DDR4-3200(PC4-25600)	CL16-18-18-38 1.35V	4GB	TLZGD44G3200HC16C01
			8GB	TLZGD48G3200HC16C01
			16GB	TLZGD416G3200HC16C01
			32GB	TLZGD432G3200HC16C01
		CL16-20-20-40 1.35V	8GB	TLZGD48G3200HC16F01
			16GB	TLZGD416G3200HC16F01
	32GB		TLZGD432G3200HC16F01	
	DDR4-3600(PC4-28800)	CL18-22-22-42 1.35V	8GB	TLZGD48G3600HC18J01
			16GB	TLZGD416G3600HC18J01
			32GB	TLZGD432G3600HC18J01
CL20-24-24-46 1.35V		8GB	TLZGD48G3600HC20D01	
DDR4-4000(PC4-32000)		CL20-26-26-46 1.4V	8GB	TLZGD48G4000HC20C01

Ordering Information

Color	Frequency	CAS Latency/Voltage	Capacity	Team P/N
RED	DDR4-2666(PC4-21300)	CL18-18-18-43 1.2V	4GBX2	TLZRD48G2666HC18HDC01
			8GBX2	TLZRD416G2666HC18HDC01
			16GBX2	TLZRD432G2666HC18HDC01
			32GBX2	TLZRD464G2666HC18HDC01
	DDR4-3000(PC4-24000)	CL16-18-18-38 1.35V	4GBX2	TLZRD48G3000HC16CDC01
			8GBX2	TLZRD416G3000HC16CDC01
			16GBX2	TLZRD432G3000HC16CDC01
			32GBX2	TLZRD464G3000HC16CDC01
		CL16-20-20-40 1.35V	8GBx2	TLZRD416G3000HC16FDC01
			16GBx2	TLZRD432G3000HC16FDC01
	DDR4-3200(PC4-25600)	CL16-18-18-38 1.35V	4GBX2	TLZRD48G3200HC16CDC01
			8GBX2	TLZRD416G3200HC16CDC01
			16GBX2	TLZRD432G3200HC16CDC01
			32GBX2	TLZRD464G3200HC16CDC01
		CL16-20-20-40 1.35V	8GBX2	TLZRD416G3200HC16FDC01
			16GBX2	TLZRD432G3200HC16FDC01
	DDR4-3600(PC4-28800)	CL14-15-15-35 1.45V	8GBx2	TLZRD416G3600HC14CDC01
			16GBx2	TLZRD432G3600HC14CDC01
		CL18-22-22-42 1.35V	8GBX2	TLZRD416G3600HC18JDC01
			16GBX2	TLZRD432G3600HC18JDC01
		CL20-24-24-46 1.35V	32GBX2	TLZRD464G3600HC18JDC01
			8GBx2	TLZRD416G3600HC20DDC01
	DDR4-4000(PC4-32000)	CL18-22-22-42 1.35V	8GBx2	TLZRD416G4000HC18JDC01
		CL18-24-24-46 1.4V	16GBx2	TLZRD432G4000HC18LDC01
CL20-26-26-46 1.4V		8GBx2	TLZRD416G4000HC20CDC01	

Ordering Information

Color	Frequency	CAS Latency/	Capacity	Team P/N
GRAY	DDR4-2666(PC4-21300)	CL18-18-18-43 1.2V	4GBX2	TLZGD48G2666HC18HDC01
			8GBX2	TLZGD416G2666HC18HDC01
			16GBX2	TLZGD432G2666HC18HDC01
			32GBX2	TLZGD464G2666HC18HDC01
	DDR4-3000(PC4-24000)	CL16-18-18-38 1.35V	4GBX2	TLZGD48G3000HC16CDC01
			8GBX2	TLZGD416G3000HC16CDC01
			16GBX2	TLZGD432G3000HC16CDC01
			32GBX2	TLZGD464G3000HC16CDC01
		CL16-20-20-40 1.35V	8GBx2	TLZGD416G3000HC16FDC01
			16GBx2	TLZGD432G3000HC16FDC01
	DDR4-3200(PC4-25600)	CL16-18-18-38 1.35V	4GBX2	TLZGD48G3200HC16CDC01
			8GBX2	TLZGD416G3200HC16CDC01
			16GBX2	TLZGD432G3200HC16CDC01
			32GBX2	TLZGD464G3200HC16CDC01
		CL16-20-20-40 1.35V	8GBX2	TLZGD416G3200HC16FDC01
			16GBX2	TLZGD432G3200HC16FDC01
	DDR4-3600(PC4-28800)	CL14-15-15-35 1.45V	8GBx2	TLZGD416G3600HC14CDC01
			16GBx2	TLZGD432G3600HC14CDC01
		CL18-22-22-42 1.35V	8GBX2	TLZGD416G3600HC18JDC01
			16GBX2	TLZGD432G3600HC18JDC01
		CL20-24-24-46 1.35V	32GBX2	TLZGD464G3600HC18JDC01
			8GBx2	TLZGD416G3600HC20DDC01
	DDR4-4000(PC4-32000)	CL18-22-22-42 1.35V	8GBx2	TLZGD416G4000HC18JDC01
		CL18-24-24-46 1.4V	16GBx2	TLZGD432G4000HC18LDC01
CL20-26-26-46 1.4V		8GBx2	TLZGD416G4000HC20CDC01	

※ We reserve the right to modify product specifications without prior notice.