

Scanning Document Scanner imageFORMULA P-208II

## imageFORMULA P-20811



| Туре                      | Desktop sheet-fed scanner         |  |  |
|---------------------------|-----------------------------------|--|--|
| Scanning<br>Document Size | Plain Paper:                      | Width: 50.8 to 216mm<br>Length: 70 to 356mm          |  |
|                           | Postcard:                         | Width: 88.9 to 108mm<br>Length: 127 to 152.4mm       |  |
|                           | Business<br>Card:                 | Width: 49 to 55mm<br>Length: 85 to 91mm              |  |
|                           | Card (ISO /<br>IEC<br>Compliant): | 54mm x 86mm  |  |
| Document<br>Thickness     | Plain Paper:                      | 52 to 209g/m <sup>2</sup> , Thickness 0.06 to 0.22mm |  |
|                           | Postcard:                         | 128 to 300g/m <sup>2</sup> , Thickness 0.15 to 0.4mm |  |
|                           | Business<br>Card:                 | 128 to 380g/m <sup>2</sup> , Thickness 0.15 to 0.3mm |  |

1 of 3 23-Mar-23, 10:41 AM

|  | Card (ISO /<br>IEC<br>Compliant):  | 0.76mm or less<br>Up to 1.4 mm for embossed<br>cards                        |  |  |
|--|--|---|--|--|
| Document<br>Feeding Method                     | Automatic  |   |  |  |
| Scanning Sensor                                | Contact image sensor   |   |  |  |
| Light Source                                   | LED  |   |  |  |
| Scanning Side                                  | Simplex / Duplex   |   |  |  |
| Scanning Modes                                 | Black and White, 256-level Grayscale, Advanced<br>Text Enhancement II, 24-bit Colour |   |  |  |
| Scanning<br>Resolutions                        | 150 x 150dpi, 200 x 200dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi                 |   |  |  |
| Scanning<br>Speed* <sup>1</sup> * <sup>2</sup> | B&W /<br>Grayscale   | Simplex:  | 200 x 200dpi 8<br>pages/min.<br>300 x 300dpi 8<br>pages/min.     |  |
|  |  | Duplex:   | 200 x 200dpi 16<br>images/min.<br>300 x 300dpi 16<br>images/min. |  |
|  | 24-bit Colour  | Simplex:  | 200 x 200dpi 8<br>pages/min.<br>300 x 300dpi 6<br>pages/min.     |  |
|  |  | Duplex:   | 200 x 200dpi 16<br>images/min.<br>300 x 300dpi 12<br>images/min. |  |
| Interfaces                                     | Hi-Speed USB 2.0   |   |  |  |
| Scanner driver/<br>Software                    | Windows:   | ISIS / TWAIN Driver, CaptureOn<br>Touch, CaptureOn Touch Lite<br>(Built-in) |  |  |
|  | Мас:   | TWAIN Driver, CaptureOn<br>Touch, CaptureOn Touch Lite<br>(Built-in)        |  |  |
| Dimensions<br>(W x D x H)                      | Feed tray<br>closed  | 312.5 x 55.5 x 40mm   |  |  |
|  | Feed tray<br>open  | 312.5 x 89.5 x 40mm   |  |  |
| Weight   | 600g   |   |  |  |
| Power Supply                                   | Supply from US   | Supply from USB (500 mA)  |  |  |
| Power<br>Consumption                           | 2.5W or less (When connecting with USB cable)  |   |  |  |
|  | 1.5W or less (Sleep mode)  |   |  |  |

2 of 3 23-Mar-23, 10:41 AM

|                          | 0.1W or less (Power OFF) |                |  |
|--------------------------|--------------------------|----------------|--|
| Operating<br>Environment | Temperature:             | 10°C to 32.5°C |  |
|                          | Humidity:                | 25% to 80% RH  |  |
| Options / Consumables    | WU10, Separation Pad     |                |  |

Specifications are subject to change without notice.

- Scanning speed may vary depending on PC environment, scanner settings and other factors.
- When scanning in duplex made using only USB 2.0 bus power, power consumption on the scanner may fluctuate depending in the type of document being scanned and the processing load on the scammer. In such cases, the scanning speed may vary.

- Prices, specifications, availability and terms of offers may change without notice.
- Products / Services may be manufactured by and/or supplied to us by third party manufacturers / suppliers for distribution / resale (non-Canon brand products).
- Prices above are maximum retail price (MRP) and may change without prior notice.

Copyright © 2023 Canon India Pvt Ltd. All rights reserved.

3 of 3 23-Mar-23, 10:41 AM